
KIOXIA LIGHT RING EQUIPMENT GROUP CO.,LTD.
TEL/WhatsApp: +86 17622605414
Mail: admin@transformercoilwindingmachine.com
Web:www.transformercoilwindingmachine.com

GWD-S10 Core Assembly Machine




Working process:

Manual loading → Core assembly (core loading via vibration plate) → Core taping→ Comprehensive testing → Core glue dispensing (four points on both sides, at the joint of two cores) → Layout (pin upwards)

Specification：Main technical parameters：（unit：mm）

	Item	Parameter
1	Loading Method	Manual Loading
2	Unloading Method	Manual Unloading
3	Control System	Motion Control System
4	Power Supply	AC220V 50HZ
5	Air Supply	0.5--0.6
6	Machine Dimensions	3762.5(L)*1162(W)*1392.8(H)
7	Power	3000W
8	Machine Weight	850kg
9	Equipment Capacit	1000pcs/h

Machine layout:



Packing:

Packing: wooden case

Packing size: length: 1480mm width: 1180mm high: 1520mm

Packing weight: 460Kg





FACTORY:

We-KIOXIA LIGHT RING EQUIPMENT GROUP CO.,LTD
is expert in winding machines lines for 29Years. Our K I O XIA have ISO9001:2015,CE approvals, Machines 'Patents, "high-tech enterprises"
by the government.





KIOXIA LIGHT RING EQUIPMENT GROUP CO.,LTD.
Add: Building G, No.209 Zhonghuan East Road, Free Trade Zone (Airport Economic Zone), Tianjin