KIOXIA LIGHT RING EQUIPMENT GROUP CO.,LTD.
TEL/WhatsApp: +86 17622605414
Mail: admin@transformercoilwindingmachine.com
Web:www.transformercoilwindingmachine.com

NAME:KXL-716 Low Noise Gear Type Toroidal Winding Machine



SPECIFICATION:

Suitable winding diameter range	0.5-2.0mm (When a single enameled copper wire is wound in parallel with multiple strands, the combined strength does not exceed the max. value)
Finally completed outer diameter	80-230 mm
Minimum completed inner diameter	40mm (Install the small wire magazine)
Maximum finished height	110mm
Width of magazine	4-18mm (optional) standard 10mm
Magazine perimeter	820mm
Max. winding speed	230 rpm
Presetable programs	50*20 groups (1000 running programs)
Machine weight	120kg
Machine size	650*500*700mm (length*width*height)

FEATURES:

1. The spindle drive adopts variable frequency motor drive, which is energy-saving and power-saving, and can be infinitely adjusted.

2. The wire arrangement system adopts a servo stepper motor intelligent automatic

wire arrangement control system. You only need to enter the number of windings and the arrangement angle in the controller, and the equipment will automatically calculate and accurately arrange the wires as required; the winding process can be paused or operated at any time.

3. It adopts 220V single-phase power supply, which is convenient to use.

4. The winding tension can be adjusted and maintained at any time during standby and winding.

5. It has automatic operation, foot-operated speed regulation operation function, and power-off memory function.

6. It adopts the latest microcomputer full Chinese LCD display controller, with multi-stage wire arrangement density adjustment, separate setting of wire storage/winding speed, production statistics and other practical functions.

7. The controller can store up to 1,000 sets of working steps and 50 specifications of transformer winding parameters, saving the time of repeated machine adjustment when changing different products to be processed.

APPLICATION:

Toroid Winding Machine is the best suited to toroidal inductor, toroidal transformers,toroidal current transformers,toroidal coil, toroid choke coil, power inductors,UPS inductor,converter inductor and heavy toroidal core etc.



PRACTICAL APPLICATION :

TRAINNING CUSTOMER TO OPERATE WINDING MACHNE :


1.All service engineers with 10 years experience are gotten special technology training, who can deal with various breakdown problem.

2.Guide the user to use accurately and how to maintain the product.Provide free consultation about production process technology of electronic products.

3.In order to guarantee the machine used normally, we'd have training on how to operate, use and maintain our product by English manual, video, guiding on line.



Customer praise:



PACKAGING:

Packaging Material: Carton/Wooden case with foam inside.

1. General package(Paper carton or plastic bag): For small euipped parts for Toroid TransformerWindingMachine , Package it with form and pack paper to guarantee un broken during the transport.

2.Wooden case package: For larger scale Toroidal Winding machine ,we have special skilled carpenter, who would make the proper wooden case with exact thickness,density,length. The up arrow ↑marked on the outer wooden case. Buffer material would be put in the wooden case to prevent crack and shock.










KIOXIA LIGHT RING EQUIPMENT GROUP CO.,LTD.

TEL/WhatsApp: +86 17622605414

Mail: admin@transformercoilwindingmachine.com

Web:www.transformercoilwindingmachine.com



FACTORY:

KIOXIA LIGHT RING EUIPMENT GROUP CO.,LTD.

Founded in 1993, KIOXIA LIGHT RING EUIPMENT GROUP CO.,LTD. has been a well-known manufacturing excellent performance winding machines together with associated production and technology. KIOXIA LIGHT RING provide highly cost effective manufacturing solutions for the production of the wound components of all types such as transformers,chokes etc.



TEL/WhatsApp: +86 17622605414
Mail: admin@transformercoilwindingmachine.com
Web:www.transformercoilwindingmachine.com

